


# HVTECK AL 3/C 115NLEPR TS PVC AIA PVC 5kV 133% CSA

3 Conductor, 115 Mils No Lead Ethylene Propylene Rubber (NL-EPR), 133% Insulation Level, Tape Shield, Polyvinyl Chloride (PVC) Inner Jacket, Aluminum Interlocked Armour (AIA), Polyvinyl Chloride (PVC) Jacket



#### **CONSTRUCTION:**

- 1. Conductor: Class B compact stranded 8000 Series aluminum per ASTM B800 and ASTM B836
- 2. **Conductor Shield:** Semi-conducting cross-linked copolymer; A conductor separator is used for cable size larger than or equal to 500 Kcmil
- 3. Insulation: 115 Mils No Lead Ethylene Propylene Rubber (NL-EPR) 133% insulation level
- 4. Insulation Shield: Strippable semi-conducting cross-linked copolymer
- 5. Copper Tape Shield: Helically wrapped 5 mil copper tape with 25% overlap
- 6. Filler: Interstices filled with non-hydroscoping/non-wicking fillers
- 7. Grounding Conductor: Class B compressed stranded bare copper ground per ASTM B3 and ASTM B8
- 8. Binder: Polypropylene tape
- 9. Inner Jacket: PVC inner jacket
- 10. Armour: Aluminum Interlocked Armour (AIA)
- 11. Overall Jacket: Orange Polyvinyl Chloride (PVC) Jacket

# **APPLICATIONS AND FEATURES:**

Southwire's 5kV HVTECK is a CSA armoured cable for industrial and commercial medium voltage applications. Rated FT4, -40°C, Hazardous Locations (HL). These cables are capable of operating continuously at the conductor temperature not in excess of 105°C for normal operation, 140°C for emergency overload, and 250°C for short circuit conditions. Rated for 1000 lbs /FT maximum sidewall pressure. These cables feature sunlight and moisture resistance, exceptional corona resistance, resistance to most chemical soils and acids and are flame retardant.

# **SPECIFICATIONS:**

- ASTM B801 Concentric-Lay-Stranded Conductors of 8000 Series Aluminum Alloy
- ASTM B836 Compact Rounded Stranded Aluminum Conductors
- CSA C22.2 No. 174 Cables in Hazardous Locations
- CSA C22.2 No. 2556 & No. 0.3 Wire and Cable Test Methods
- CSA C68.10 Shielded Power Cables for Commercial and Industrial Applications 5 to 46 KV
- CSA C68.3 Shielded & Concentric Neutral Power Cable 5 to 46 kV
- CSA LTGG [-40°C] as per C68.10 for Cold Bend and Impact rating
- CSA HL for Hazardous Locations rating
- CSA SUN RES for Sunlight Resistant rating
- ICEA S-93-639 (NEMA WC 74) 5-46 KV Shielded Power Cable



Southwire Company, LLC | One Southwire Drive, Carrollton, GA 30119 | www.southwire.com



- ICEA T-29-520 Flame Test (210,000 BTU/Hr)
- IEEE 383 Flame Test (70,000 btu)
- IEEE 1202 FT4 Flame Test (70,000) BTU/hr Vertical Tray Test
- FT1 Flame Test (1,706 BTU/Hr nominal Vertical Wire Flame Test)
- AEIC CS-8 Specification for extruded dielectric shielded power cables rated for 5 through 46KV (Qualification Test Requirements)

#### **SAMPLE PRINT LEGEND:**

(CSA) SOUTHWIRE (NESC) #P# 3/C [#AWG or #kcmil] CPT AL 115 NLEPR AIA 5kV 133% INS LEVEL 25% TS SUN RES 105°C FT4 HL (-40°C) LTGG RoHS YEAR [SEQUENTIAL METER MARKS]

#### Table 1 – Weights and Measurements

| Cond.<br>Size | Strand | Diameter Over<br>Conductor | Diameter Over<br>Insulation | Insul.<br>Thickness | Diameter Over<br>Insulation Shield |     | Inner Jacket<br>Thickness | Dia. Over<br>Armour | Overall Jacket<br>Thickness | Approx.<br>OD | Approx.<br>Weight |
|---------------|--------|----------------------------|-----------------------------|---------------------|------------------------------------|-----|---------------------------|---------------------|-----------------------------|---------------|-------------------|
| AWG/<br>Kcmil | No.    | inch                       | inch                        | mil                 | inch                               | AWG | mil                       | inch                | mil                         | inch          | lb/1000ft         |
| 500           | 37     | 0.735                      | 1.011                       | 115                 | 1.071                              | 3   | 110                       | 2.933               | 75                          | 3.083         | 4185              |

All dimensions are nominal and subject to normal manufacturing tolerances

 $\ensuremath{\diamond}$  Cable marked with this symbol is a standard stock item

\* Strand count meets minimum number per ASTM

TBA stock codes are estimations only and actual product may vary. Please wait until a stock code is assigned to purchase connectors and/or fittings.

# **Table 2 – Electrical and Engineering Data**

| Cond.<br>Size | Min<br>Bending<br>Radius | Max Pull<br>Tension | DC<br>Resistance<br>@ 25°C | AC<br>Resistance<br>@ 90°C | Capacitive<br>Reactance @<br>60Hz | Inductive<br>Reactance<br>@ 60Hz | Zero<br>Sequence<br>Impedance | Positive<br>Sequence<br>Impedance | Phase<br>Short<br>Circuit<br>Current @<br>6 Cycles | Allowable<br>Ampacity In<br>Air 90°C | Allowable<br>Ampacity<br>Directly<br>Buried 90°C |
|---------------|--------------------------|---------------------|----------------------------|----------------------------|-----------------------------------|----------------------------------|-------------------------------|-----------------------------------|--|--------------------------------------|--|
| AWG/<br>Kcmil | inch                     | lb                  | Ω/1000ft                   | Ω/1000ft                   | MΩ*1000ft                         | Ω/1000ft                         | Ω/1000ft                      | Ω/1000ft                          | Amp  | Amp                                  | Amp  |
| 500           | 21.6                     | 9000                | 0.035                      | 0.046                      | 0.014                             | 0.030                            | 0.406 +<br>j0.312             | 0.046 +<br>j0.029                 | 3349   | 447                                  | 465  |

\* Inductive impedance is based on non-ferrous conduit with one diameter spacing center-to-center.

\* CEC ampacities are based on:

3/C in air copper and aluminum: D17N

3/C direct buried copper and aluminum: D17E

# Table 3 – Weights and Measurements (Metric)

| Cond.<br>Size | Strand | Diameter Over<br>Conductor | Diameter Over<br>Insulation | Insul.<br>Thickness | Diameter Over<br>Insulation Shield |     | Inner Jacket<br>Thickness | Dia. Over<br>Armour | Overall Jacket<br>Thickness | Approx.<br>OD | Approx.<br>Weight |
|---------------|--------|----------------------------|-----------------------------|---------------------|------------------------------------|-----|---------------------------|---------------------|-----------------------------|---------------|-------------------|
| AWG/<br>Kcmil | No.    | mm                         | mm                          | mm                  | mm                                 | AWG | mm                        | mm                  | mm                          | mm            | kg/km             |
| 500           | 37     | 18.67                      | 25.68                       | 2.92                | 27.20                              | 3   | 2.79                      | 74.50               | 1.91                        | 78.31         | 6228              |

All dimensions are nominal and subject to normal manufacturing tolerances

 $\ensuremath{\diamond}$  Cable marked with this symbol is a standard stock item

\* Strand count meets minimum number per ASTM

TBA stock codes are estimations only and actual product may vary. Please wait until a stock code is assigned to purchase connectors and/or fittings.

# Table 4 – Electrical and Engineering Data (Metric)

| 500 | 548.64 | 40050 | 0.1148 | 0.15 | 0.0043 | 0.0984 | 0.406 +<br>j0.312 | 0.046 +<br>j0.029 | 3349 | 447 | 465 |  |
|-----|--------|-------|--------|------|--------|--------|-------------------|-------------------|------|-----|-----|--|
|-----|--------|-------|--------|------|--------|--------|-------------------|-------------------|------|-----|-----|--|



Southwire Company, LLC | One Southwire Drive, Carrollton, GA 30119 | www.southwire.com



\* Inductive impedance is based on non-ferrous conduit with one diameter spacing center-to-center.

\* CEC ampacities are based on:

3/C in air copper and aluminum: D17N

3/C direct buried copper and aluminum: D17E